## Industrial Elastomeric Products - Quick Reference Guide



	Maximum Temperature	Oil Resistance	Ozone Resistance	Tear Resistance	Electrical Resistivity	Chemical Resistance
Neoprene	200°	Good	Good	Good	Good	Good
Nitrile	225°	Excellent	Fair	Fair	Poor	Fair
EPDM	225°	Poor	Excellent	Good	Excellent	Excellent
Pure Gum	160°	Poor	Fair	Good	Excellent	Fair
Viton	350°	Excellent	Excellent	Fair	Good	Excellent
Silicone	500°	Fair	Excellent	Poor	Good	Excellent

Note: Chart is for quick reference only, not for specification writing. Always check data sheets for values. Visit: LGStechnologies.com to learn more.